

MATERIAL SAFETY DATA SHEET

Revision: 01 Date: May 2017

1. PRODUCT AND COMPANY IDENTIFICATION

1.1- Product name: Igniter

1.2- Application: Oil, Gas and Water Well

1.3- Manufacter:

ETASA (ARGENTINA) S.A.

Ruta 25 Km. 13 Villa Rosa 1631

PO Box 374 Pilar 1629 Buenos Aires – Argentina

Telephone: +54 230 4494167 Telfax: +54 230 4494165 Cel. 24hs. Darío Lattanzio +54 9 11 4440 6526 Cel. 24hs. Gabriel Scipioni +54 9 2284 454800

2. HAZARD IDENTIFICATION

The normal use and handling of Shaped Charges does not present health hazards. Detonation may cause severe physical injury, including death.

Inhalation of explosives powders may cause nervous system irregularity, headaches and dizziness

This Secondary Igniter does not present mass detonation risks, United Nations (0454 1.4S)

| 3. COMPOSITION, INFORMATION ON INGREDIENTS | | |
|--|-------------------------------------|--|
| Material | - Smokeless Black powder - Steel | |
| | - Plastics | |

4. FIRST AID MEASURES

- Move the victim to fresh air.
- Seek medical attention.
- Give artificial respiration if victim is not breathing.
- Give Oxygen if breathing is difficult.
- Remove contaminated clothes and footwear.
- Put abundant water in case of eye or skin contact.
- Make sure that medical personal have knowledge of involved materials and that personal protective equipment is used.

6. ACCIDENTAL RELEASE MEASURES

- Eliminate all ignition sources.
- DO NOT SMOKE, NO FLARES USE, DO NOT PRODUCE SPARKS, AND MAKE FIRE IN THE AREA.

Stay alert with fire-extinguisher ready.

- All the equipment must be grounded during the use of it.
- Do not touch or walk over the spoiled material.
- Do not consume food or drinks in the contaminated exposed areas.
- Do not clear or reject anything, but under specialist instruction.

| 7. HANDLING AND STORAGE | | | |
|---------------------------------|-------------------------------|---|--|
| Hazard Class | | 1.4S | |
| Handling and storage conditions | | Store and prepare only in authorized buildings, follow the local authority regulations of explosives and explosives articles. | |
| Handling | Instruction for safe handling | Keep away from heat sources and flames. Keep away from any ignition sources. Avoid mechanical influences (Ex. impact, crushing) Do not smoke | |
| | Fire and explosion protection | Do not smoke Keep away from ignition sources and fire Avoid any mechanical impact and crushing influences | |
| | Final disposition | Disposal must be in accordance with local authorities. | |

8. EXPOSURE CONTROLS - PERSONAL PROTECTION

- Use only with adequate ventilation.
- Use safety glasses or googles, gloves, protection masks against dust and mist.
- Use cotton clothes and conductive soled shoes.

9. PHYSICAL PROPERTIES

Secondary Igniter containing black power.

10. STABILITY AND REACTIVITY

- Detonation may be caused by friction, impact, heat, electric contact.
- Fire could produce irritant and toxic gases.
- Detonation produces hazardous fragments

11. / 12. TOXICOLOGICAL/ ECOLOGICAL INFORMATION

There are not ecological or toxicological damaged expected.

13. DISPOSAL CONSIDERATON

Final disposition must be under federal, state and local laws, regulations and ordinances

14. TRANSPORT INFORMATION

Proper shipping name: Igniter

Classification IMDG 1.4S, Prefectura Naval Argentina

UN Number 0454

ICAO/IATA-DGR: 1.4S, Igniter, PI 142

Packing instruction: PI142

Emergency Tel: Darío Lattanzio 011 15 4440 6526

Eliana Lorena Cabo 011 1531981440

Nora Villamea 011 1544360440



15. REGULATORY INFORMATION

- Ley de Armas y explosivos 20.429 Decreto 302/83.
- Ley de Transito 24.449 Decreto 779/95.
- For international handling United Nation "Recommendation on the transport of dangerous goods" are applicable. (Orange Manual).

16. OTHER INFORMATION

- The 1.4D packaging or classified material 1.4D
- This products are designed and packed in such a way that allows energical burn with small detonation and proximity fragments projections.
- The effects are usually limited to packaging proximity. If fire reached the charge storage area that contains 1.4D packaging or classified material 1.4D, consider a 50 feet isolation area. Keep a reasonable distance when fighting fire.
- Explosives must be handled following approved safety procedures under the direction of competent, qualified persons in accordance with local regulations.

This information contained is based on our actually knowledge. This information is given for the purposes on safety handling of our products and adapted safety precautions, but makes no warranty as to such.